

EMI GASKET

Kitagawa series: NLCG



- Easy installation onto enclosure etc by adhesive tape.
- UL94-V-0 conductive fabric gasket.
- UL94 VTM-0 certified adhesive tape.
- Easy to cut.
- Operating temperature range: -20°C to +70°C.
- Standard length: 1m


R-PROFILE

Part Number	Height (mm)	Width (mm)
NLCG-003030 D	0.3	3.0
NLCG-003050 D	0.3	5.0
NLCG-003300 D	0.3	3.0
NLCG-010030 (D)	1.0	3.0
NLCG-010040	1.0	4.0
NLCG-010050 (D)	1.0	5.0
NLCG-010070 (D)	1.0	7.0
NLCG-010100 (D)	1.0	10.0
NLCG-010130	1.0	13.0
NLCG-010250	1.0	25.0
NLCG-015030 (D)	1.5	3.0
NLCG-015050 (D)	1.5	5.0
NLCG-015070 (D)	1.5	7.0
NLCG-015100 (D)	1.5	10.0
NLCG-020040	2.0	4.0
NLCG-020050 (D)	2.0	5.0
NLCG-020060 (D)	2.0	6.0
NLCG-020070 (D)	2.0	7.0
NLCG-020100 (D)	2.0	10.0
NLCG-020150	2.0	15.0
NLCG-020210	2.0	21.0
NLCG-020235 NT	2.0	23.50
NLCG-020350	2.0	35.0
NLCG-020510 NT	2.0	51.0
NLCG-020560	2.0	56.0
NLCG-025100 NT	2.5	10.0
NLCG-030040 (D)	3.0	4.0
NLCG-030050 (D)	3.0	5.0
NLCG-030100 (D)	3.0	10.0
NLCG-035090	3.5	9.0
NLCG-035120	3.5	12.0
NLCG-040040	4.0	4.0
NLCG-040050 (D)	4.0	5.0

NLCG-040080 (D)	4.0	8.0
NLCG-040100 (D)	4.0	10.0
NLCG-040130	4.0	13.0
NLCG-050100 (D)	5.0	10.0
NLCG-050150 D	5.0	1.5
NLCG-060060	6.0	6.0
NLCG-060100	6.0	10.0
NLCG-065060	6.5	6.0
NLCG-070100	7.0	10.0
NLCG-070130	7.0	13.0
NLCG-080080	8.0	8.0
NLCG-080100 (D)	8.0	10.0
NLCG-095090	9.5	9.0
NLCG-100100	10.0	10.0
NLCG-100120	10.0	12.0
NLCG-120100 (D)	12.0	10.0
NLCG-130100 (D)	13.0	10.0
NLCG-130120 NT	13.0	12.0
NLCG-150150	15.0	15.0

D-PROFILE

Part Number	Height (mm)	Width (mm)
NLCG-D015030 (D)	1.5	3.0
NLCG-D020050 NT	2.0	5.0
NLCG-D025020 D	2.5	2.0
NLCG-D030030 (D)	3.0	3.0
NLCG-D030070	3.0	7.0
NLCG-D035030 NT	3.5	3.0
NLCG-D040060	4.0	6.0
NLCG-D065090	6.5	9.0
NLCG-D095120 (D)	9.5	12.0



Part Number Guide

NLCG- L:

- Length in mm (not necessary for the standard length of 1 m)
- Suffix "(D)": means customer can choose between conductive adhesive tape or adhesive tape.
- Suffix "D ": means conductive adhesive tape.
- Suffix "NO TAPE": means without adhesive tape.
- Without Suffix: means adhesive tape.
- Width : e.g) 050=5mm / 100=10mm
- Height : e.g) 010=1mm / 120=12mm

e.g) :NLCG-010050 → Height 1mm × Width 5mm

