


SORBOTHANE SHEET 4" X 4" (METRIC)



- Combines shock absorption, good memory, vibration isolation and vibration damping characteristics.
- Very effective acoustic damper and absorber.
- Stable material with long fatigue life.
- Low creep rate compared to other polymers.
- Superior damping coefficient over wide temperature range.
- Absorbs shock efficiently for millions of cycles.
- Eliminates need for metal springs to return system to its original equilibrium position after absorbing a shock.
- Custom sizes and colours available upon request.

Dimensions in mm

Part Number	Dimensions	Thickness Tolerance	Duro (Shore 00)	Engineering Drawing
0204010-30-10	2.54 x 101 x 101	± 0.015	30	PDF
0204010-50-10	2.54 x 101 x 101	± 0.015	50	PDF
0204010-70-10	2.54 x 101 x 101	± 0.015	70	PDF
0204012-30-10	3.17 x 101 x 101	± 0.020	30	PDF
0204012-50-10	3.17 x 101 x 101	± 0.020	50	PDF
0204012-70-10	3.17 x 101 x 101	± 0.020	70	PDF
0204018-30-10	4.77 x 101 x 101	± 0.020	30	PDF
0204018-50-10	4.77 x 101 x 101	± 0.020	50	PDF
0204018-70-10	4.77 x 101 x 101	± 0.020	70	PDF
0204025-30-10	6.35 x 101 x 101	± 0.025	30	PDF
0204025-50-10	6.35 x 101 x 101	± 0.025	50	PDF
0204025-70-10	6.35 x 101 x 101	± 0.025	70	PDF
0204037-30-10	9.52 x 101 x 101	± 0.025	30	PDF
0204037-50-10	9.52 x 101 x 101	± 0.025	50	PDF
0204037-70-10	9.52 x 101 x 101	± 0.025	70	PDF
0204050-30-10	12.7 x 101 x 101	± 0.035	30	PDF
0204050-50-10	12.7 x 101 x 101	± 0.035	50	PDF
0204050-70-10	12.7 x 101 x 101	± 0.035	70	PDF

[Material Properties](#)
[Performance Data](#)
[Adhesive Recommendations](#)
[Imperial Measurements](#)