


SORBOTHANE STRIPS 2" x 36" (METRIC)



- Quick and effective method for isolating shock and vibration.
- Can be used for wide variety of applications.
- Easily cut to size and are ideal for medium to heavy loads.
- ROHS and REACH SVHC compliant

AVAILABLE TO PURCHASE THROUGH DIGIKEY – [CLICK HERE](#)

Part Number	Thickness (mm)	Thickness Tolerance (mm)	Duro (Shore 00)	Engineering Drawing
0236212-50-10	3.2	± 0.38	50	PDF
0236212-70-10	3.2	± 0.38	70	PDF
0236225-50-10	6.4	± 0.51	50	PDF
0236225-70-10	6.4	± 0.51	70	PDF
0236237-30-10	9.5	± 0.64	30	PDF
0236237-50-10	9.5	± 0.64	50	PDF
0236237-70-10	9.5	± 0.64	70	PDF
0236250-30-10	12.7	± 0.76	30	PDF
0236250-50-10	12.7	± 0.76	50	PDF
0236250-70-10	12.7	± 0.76	70	PDF
0236275-30-10	19.1	± 0.89	30	PDF
0236275-50-10	19.1	± 0.89	50	PDF
0236275-70-10	19.1	± 0.89	70	PDF

Datasheet Links

- [MATERIAL PROPERTIES](#)
- [PERFORMANCE DATA](#)
- [WHAT IS SORBOTHANE?](#)
- [IMPERIAL MEASUREMENTS](#)