


MALE/MALE RUBBER STUD MOUNT

Series: GA



- Large variety of sizes and stud lengths.
- Weight range: from 0.4kg to 26.8kg per mount.
- Stainless steel metal threads available upon request.
- Other thread and body sizes available.
- Materials available include: natural rubber, EPDM, neoprene rubber and silicone rubber.
- ROHS and REACH SVHC compliant.
- Typical applications include: large static generator engines, compressors, motors, electronic control panels and engine mounts.



Part Number	D (mm)	H (mm)	G	L (mm)	Max Comp Load 45 Shore A (KG)	Max Shear Load 45 Shore A (KG)	Max Comp Load 60 Shore A (KG)	Max Shear Load 60 Shore A (KG)
GA0607M3	6	7	M3	6	1.3	0.4	2.2	0.7
GA0805M3	8	5	M3	6	2.75	0.9	4.85	1.6
GA0807M3	8	7	M3	6	2.6	0.8	4.7	1.5
GA0808M3	8	8	M3	6	2.4	0.8	4.4	1.5
GA0912M3	9	12	M3	6	1.8	0.6	5.4	1.62
GA0912M4	9	12	M4	10	1.8	0.6	5.4	1.62
GA0912M5	9	12	M5	12	1.8	0.6	5.4	1.62
GA1008M3	10	8	M3	6	2.7	0.9	7.9	2.4
GA1008M4	10	8	M4	10	2.7	0.9	7.9	2.4
GA1010M3	10	10	M3	6	2.5	1.0	7.7	3.1
GA1010M4	10	10	M4	10	2.5	1.0	7.7	3.1
GA1010M5	10	10	M5	12	2.5	1.0	7.7	3.1
GA1015M3	10	15	M3	6	1.8	0.7	5.6	2.3
GA1015M4	10	15	M4	10	1.8	0.7	5.6	2.3
GA1015M5	10	15	M5	12	1.8	0.7	5.6	2.3
GA1017M3	10	17	M3	6	1.6	0.5	5.0	1.6
GA1017M4	10	17	M4	10	1.6	0.5	5.0	1.6
GA1017M5	10	17	M5	12	1.6	0.5	5.0	1.6
GA1018M3	10	18	M3	6	1.4	0.45	4.5	1.5
GA1018M4	10	18	M4	10	1.4	0.45	4.5	1.5

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk

GA1018M5	10	18	M5	12	1.4	0.45	4.5	1.5
GA1030M3	10	30	M3	6	1.0	0.3	2.8	0.9
GA1030M4	10	30	M4	10	1.0	0.3	2.8	0.9
GA1030M5	10	30	M5	12	1.0	0.8	2.8	0.9
GA1111M3	11	11	M3	6	2.0	0.8	2.8	2.3
GA1111M4	11	11	M4	10	2.0	0.8	5.7	2.3
GA1111M5	11	11	M5	12	2.0	1.4	5.7	2.3
GA1210M3	12	10	M3	6	3.5	1.4	5.7	3
GA1210M4	12	10	M4	10	3.5	1.4	10	3
GA1210M5	12	10	M5	12	3.5	1	10	3
GA1315M4	13	15	M4	10	3.2	0.45	8.1	2.6
GA1326M4	13	26	M4	10	1.4	0.45	4.5	1.5
GA1326M5	13	26	M5	12	1.4	3.5	4.5	1.5
GA1507M4	15	7	M4	15	15.4	3.5	36	6.4
GA1507M5	15	7	M5	15	15.4	3.5	36	6.4
GA1508M4	15	8	M4	15	12	3	25	5.2
GA1508M5	15	8	M5	15	12	3	25	5.2
GA1509M4	15	9	M4	15	11	3	16.8	5.2
GA1509M5	15	9	M5	15	11	3	16.8	5.2
GA1510M4	15	10	M4	15	9.2	3	15.1	5.2
GA1510M5	15	10	M5	15	9.2	3	15.1	5.2
GA1512M4	15	12	M4	15	8.2	2.7	14.5	5.2
GA1512M5	15	12	M5	15	8.2	2.7	14.5	5.2
GA1513M4	15	13	M4	15	7.9	2.6	14.1	5.2
GA1513M5	15	13	M5	15	7.9	2.6	14.1	5.2
GA1515M4	15	15	M4	15	6	2	13.3	5.2
GA1515M5	15	15	M5	15	6	2	13.3	5.2
GA1520M4	15	20	M4	15	4.9	1.6	10	4
GA1520M5	15	20	M5	15	4.9	1.6	10	4
GA1525M4	15	25	M4	15	2.9	1	7.25	2.4
GA1525M5	15	25	M5	15	2.9	1	7.25	2.4
GA1530M4	15	30	M4	15	1.75	0.6	4.1	1.4
GA1530M5	15	30	M5	15	1.75	0.6	4.1	1.4
GA1610M4	16	10	M4	10	15	6	50 Shore only – tba	-
GA1610M5	16	10	M5	10	15	6	50 Shore only – tba	-
GA1618M4	16	18	M4	15	6	2	13.3	5.2
GA1618M5	16	18	M5	15	6	2	13.3	5.2
GA1808.7M5	18	8.7	M5	15	32	9.2	55	10.56
GA2008M5	20	8	M5	15	25	9.2	48	9.8
GA2010M6	20	10	M6	18	17	6.8	32.4	9.2
GA2010M8	20	10	M8	20	17	6.8	32.4	9.2
GA2011M5	20	11	M5	15	16.2	6.5	30.8	9.2
GA2011M6	20	11	M6	20	16.2	6.5	30.8	9.2
GA2011M8	20	11	M8	20	16.2	5.9	30.8	9.2
GA2012M5	20	12	M5	15	14.8	5.9	28.1	9.2
GA2012M6	20	12	M6	20	14.8	5.9	28.1	9.2
GA2012M8	20	12	M8	20	14.8	5.7	28.1	9.2
GA2013M5	20	13	M5	15	14.1	5.7	26.8	9.2

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk

GA2013M6	20	13	M6	20	14.1	5.7	26.8	9.2
GA2013M8	20	13	M8	20	14.1	4.2	26.8	9.2
GA2015M5	20	15	M5	15	12.3	4.2	25.5	9.2
GA2015M6	20	15	M6	20	12.3	4.2	25.5	9.2
GA2017M5	20	17	M5	15	12.3	4.2	25.5	9.2
GA2017M6	20	17	M6	20	11.8	4.2	24.6	9.2
GA2017M8	20	17	M8	20	11.8	4.2	24.6	9.2
GA2020M5	20	20	M5	15	11.8	4.2	24.6	9.2
GA2020M6	20	20	M6	20	11	4.2	23.5	9.2
GA2020M8	20	20	M8	20	11	4.2	23.5	9.2
GA2023M5	20	23	M5	15	11	4.2	23.5	9.2
GA2023M6	20	23	M6	20	10.8	4.2	23	9.2
GA2023M8	20	23	M8	20	10.8	4.2	23	9.2
GA2025M5	20	25	M5	15	10.8	4.2	23	9.2
GA2025M6	20	25	M6	20	10.5	4.2	22.7	9.2
GA2025M8	20	25	M8	20	10.5	4.2	22.7	9.2
GA2030M5	20	30	M5	15	10.5	4.1	22.7	9.0
GA2030M6	20	30	M6	20	10.2	4.1	22.3	9.0
GA2030M8	20	30	M8	20	10.2	4.1	22.3	9.0
GA25.522M8	25.5	22	M8	20	18	6.7	37	14.6
GA2508M6	25	8	M6	20	39.6	6.6	79.2	14.4
GA2510M6	25	10	M6	20	33	6.6	60.3	14.4
GA2510M8	25	10	M8	20	33	6.6	60.3	14.4
GA2512M6	25	12	M6	20	29	6.6	54.3	14.4
GA2512M8	25	12	M8	20	29	6.6	54.3	14.4
GA2513M6	25	13	M6	20	25.5	6.6	51	14.4
GA2513M8	25	13	M8	20	25.5	6.6	51	14.4
GA2514M6	25	14	M6	20	22.8	6.6	46	14.4
GA2514M8	25	14	M8	20	22.8	6.6	46	14.4
GA2515M6	25	15	M6	20	21.5	6.6	43.2	14.4
GA2515M8	25	15	M8	20	21.5	6.6	43.2	14.4
GA2517M6	25	17	M6	20	20.7	6.6	42.1	14.4
GA2517M8	25	17	M8	20	20.7	6.6	42.1	14.4
GA2518M6	25	18	M6	20	19.8	6.6	41.1	14.4
GA2518M8	25	18	M8	20	19.8	6.6	41.1	14.4
GA2519M8	25	19	M8	20	19	6.6	40	14.4
GA2520M6	25	20	M6	20	19	6.6	40	14.4
GA2520M8	25	20	M8	20	18.4	6.6	38.5	14.4
GA2522M6	25	22	M6	20	18.4	6.6	38.5	14.4
GA2525M6	25	25	M6	20	17.8	6.6	37.4	14.4
GA2525M8	25	25	M8	20	17.8	6.6	37.4	14.4
GA2527M6	25	27	M6	20	16.8	6.6	36.6	14.4
GA2527M8	25	27	M8	20	16.8	6.6	36.6	14.4
GA2528M6	25	28	M6	20	16.2	6.6	35.9	14.4
GA2528M8	25	28	M8	20	16.2	6.6	35.9	14.4
GA2530M6	25	30	M6	20	16.4	6.6	35.6	14.4
GA2530M8	25	30	M8	20	16.4	6.6	35.6	14.4

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk



GA2622M6	26	22	M6	20	18.5	7.5	39	16.8
GA2622M8	26	22	M8	20	18.5	7.5	39	16.8
GA3010M10	30	10	M10	25	45	9.5	90	20.8
GA3010M6	30	10	M6	20	45	9.5	90	20.8
GA3010M8	30	10	M8	20	45	9.5	90	20.8
GA3012M10	30	12	M10	25	42	9.5	80	20.8
GA3012M6	30	12	M6	20	42	9.5	80	20.8
GA3012M8	30	12	M8	20	42	9.5	80	20.8
GA3013M10	30	13	M10	25	40	9.5	78	20.8
GA3013M6	30	13	M6	20	40	9.5	78	20.8
GA3013M8	30	13	M8	20	40	9.5	78	20.8
GA3015M10	30	15	M10	25	37.8	9.5	72.3	20.8
GA3015M6	30	15	M6	20	37.8	9.5	72.3	20.8
GA3015M8	30	15	M8	20	37.8	9.5	72.3	20.8
GA3017M10	30	17	M10	25	36	9.5	67	20.8
GA3017M6	30	17	M6	20	36	9.5	67	20.8
GA3017M8	30	17	M8	20	36	9.5	67	20.8
GA3018M10	30	18	M10	25	34	9.5	63	20.8
GA3018M6	30	18	M6	20	34	9.5	63	20.8
GA3018M8	30	18	M8	20	34	9.5	63	20.8
GA3020M10	30	20	M10	25	29.5	9.5	60	20.8
GA3020M6	30	20	M6	20	29.5	9.5	60	20.8
GA3020M8	30	20	M8	20	29.5	9.5	60	20.8
GA3020MS8	30	20	M8	15	29.5	9.5	60	20.8
GA3022M10	30	22	M10	25	27	9.5	57	20.8
GA3022M6	30	22	M6	20	27	9.5	57	20.8
GA3022M8	30	22	M8	20	27	9.5	57	20.8
GA3025M10	30	25	M10	25	26.3	9.5	55.2	20.8
GA3025M6	30	25	M6	20	26.3	9.5	55.2	20.8
GA3025M8	30	25	M8	20	26.3	9.5	55.2	20.8
GA3030M10	30	30	M10	25	24.8	9.5	52.9	20.8
GA3030M6	30	30	M6	20	24.8	9.5	52.9	20.8
GA3030M8	30	30	M8	20	24.8	9.5	52.9	20.8
GA3035M10	30	35	M10	25	24	9.5	51	20.8
GA3035M6	30	35	M6	20	24	9.5	51	20.8
GA3035M8	30	35	M8	20	24	9.5	51	20.8
GA3040M10	30	40	M10	25	23.3	9.5	50.8	20.8
GA3040M6	30	40	M6	20	23.3	9.5	50.8	20.8
GA3040M8	30	40	M8	20	23.3	9.5	50.8	20.8
GA3045M10	30	45	M10	25	20	9.5	40	20.8
GA3045M6	30	45	M6	20	20	9.5	40	20.8
GA3045M8	30	45	M8	20	20	9.5	40	20.8
GA3225M6	32	25	M6	20	30	8	50	12
GA3225M8	32	25	M8	20	30	8	50	12
GA4010M10	40	10	M10	25	80	17	140	36.9
GA4010M6	40	10	M6	20	80	17	140	36.9
GA4010M8	40	10	M8	23	80	17	140	36.9
GA4015M10	40	15	M10	25	71	17	130	36.9

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk



GA4015M6	40	15	M6	20	71	17	130	36.9
GA4015M8	40	15	M8	23	71	17	130	36.9
GA4020M10	40	20	M10	25	63.2	17	122.6	36.9
GA4020M6	40	20	M6	20	63.2	17	122.6	36.9
GA4020M8	40	20	M8	23	63.2	17	122.6	36.9
GA4025M10	40	25	M10	25	54	17	112	36.9
GA4025M6	40	25	M6	20	54	17	112	36.9
GA4025M8	40	25	M8	23	54	17	112	36.9
GA4027M10	40	27	M10	25	51	17	108	36.9
GA4027M6	40	27	M6	20	51	17	108	36.9
GA4027M8	40	27	M8	23	51	17	108	36.9
GA4028M10	40	28	M10	25	49.2	17	104	36.9
GA4028M6	40	28	M6	20	49.2	17	104	36.9
GA4028M8	40	28	M8	23	49.2	17	104	36.9
GA4030M10	40	30	M10	25	48.1	17	100.2	36.9
GA4030M6	40	30	M6	20	48.1	17	100.2	36.9
GA4030M8	40	30	M8	23	48.1	17	100.2	36.9
GA4030MS8	40	30	M8	20	48.1	17	100.2	36.9
GA4035M10	40	35	M10	25	46	17	97.8	36.9
GA4035M6	40	35	M6	20	46	17	97.8	36.9
GA4035M8	40	35	M8	23	46	17	97.8	36.9
GA4038M10	40	38	M10	25	44.5	17	95.6	36.9
GA4038M6	40	38	M6	20	44.5	17	95.6	36.9
GA4038M8	40	38	M8	23	44.5	17	93.5	36.9
GA4040M10	40	40	M10	25	43.7	17	93.5	36.9
GA4040M6	40	40	M6	20	43.7	17	93.5	36.9
GA4040M8	40	40	M8	23	43.7	17	78.3	36.9
GA4040MS8	40	40	M8	20	43.7	17	78.3	36.9
GA4045M10	40	45	M10	25	42.1	17	78.3	36.9
GA4045M6	40	45	M6	20	42.1	15	78.3	36.9
GA4045M8	40	45	M8	23	42.1	15	78.3	36.9
GA4060M10	40	60	M10	25	38.9	14	48.3	28.5
GA4060M6	40	60	M6	20	38.9	14	48.3	28.5
GA4060M8	40	60	M8	23	38.9	14	48.3	28.5
GA5015M10	50	15	M10	25	153	26.5	269	57.7
GA5015M12	50	15	M12	37	153	26.5	269	57.7
GA5015M8	50	15	M8	23	153	26.5	269	57.7
GA5017M10	50	17	M10	25	132.9	26.5	245.8	57.7
GA5017M12	50	17	M12	37	132.9	26.5	245.8	57.7
GA5017M8	50	17	M8	23	132.9	26.5	245.8	57.7
GA5020M10	50	20	M10	25	124.8	26.5	230.6	57.7
GA5020M12	50	20	M12	37	124.8	26.5	230.6	57.7
GA5020M8	50	20	M8	23	124.8	26.5	230.6	57.7
GA5021M10	50	21	M10	25	122.4	26.5	227.3	57.7
GA5021M12	50	21	M12	37	122.4	26.5	227.3	57.7
GA5021M8	50	21	M8	23	122.4	26.5	227.3	57.7
GA5025M10	50	25	M10	25	97.6	26.5	190	57.7

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk



GA5025M12	50	25	M12	37	97.6	26.5	190	57.7
GA5025M8	50	25	M8	23	97.6	26.5	190	57.7
GA5027M10	50	27	M10	25	93.3	26.5	183.5	57.7
GA5027M12	50	27	M12	37	93.3	26.5	183.5	57.7
GA5027M8	50	27	M8	23	93.3	26.5	183.5	57.7
GA5028M10	50	28	M10	25	88.9	26.5	177.1	57.7
GA5028M12	50	28	M12	37	88.9	26.5	177.1	57.7
GA5030M10	50	30	M10	25	84.6	26.5	170.6	57.7
GA5030M12	50	30	M12	37	84.6	26.5	170.6	57.7
GA5030M8	50	30	M8	23	84.6	26.5	170.6	57.7
GA5035M10	50	35	M10	25	77.4	26.5	159.8	57.7
GA5035M12	50	35	M12	37	77.4	26.5	159.8	57.7
GA5035M8	50	35	M8	23	77.4	26.5	159.8	57.7
GA5037M10	50	37	M10	25	74	26.5	156	57.7
GA5037M12	50	37	M12	37	74	26.5	156	57.7
GA5037M8	50	37	M8	23	74	26.5	156	57.7
GA5038M12	50	38	M12	37	88.9	26.5	177.1	57.7
GA5040M10	50	40	M10	25	73	26.5	153.3	57.7
GA5040M12	50	40	M12	37	73	26.5	153.3	57.7
GA5040M8	50	40	M8	23	73	26.5	153.3	57.7
GA5042M10	50	42	M10	25	71.5	26.5	151.1	57.7
GA5042M12	50	42	M12	37	71.5	26.5	151.1	57.7
GA5042M8	50	42	M8	23	71.5	26.5	151.1	57.7
GA5045M10	50	45	M10	25	70.1	26.5	149	57.7
GA5045M12	50	45	M12	37	70.1	26.5	149	57.7
GA5045M8	50	45	M8	23	70.1	26.5	149	57.7
GA5050M10	50	50	M10	25	68.1	26.5	146	57.7
GA5050M12	50	50	M12	37	68.1	26.5	146	57.7
GA5050M8	50	50	M8	23	68.1	26.5	146	57.7
GA5080M10	50	80	M10	25	42.6	22	91.2	50
GA5080M12	50	80	M12	37	42.6	22	91.2	50
GA5080M8	50	80	M8	23	42.6	22	91.2	50
GA6015M10	60	15	M10	25	209.8	30	353.1	68
GA6015M8	60	15	M8	23	209.8	30	353.1	68
GA6016M10	60	16	M10	25	208.9	30	350.3	68
GA6016M8	60	16	M8	23	208.9	30	350.3	68
GA6020M10	60	20	M10	25	198.6	30	334.3	68
GA6020M8	60	20	M8	23	198.6	30	334.3	68
GA6025M10	60	25	M10	25	152.5	30	283.8	68
GA6025M12	60	25	M12	37	152.5	30	283.8	68
GA6025M8	60	25	M8	23	152.5	30	283.8	68
GA6030M10	60	30	M10	25	129.6	30	240	68
GA6030M12	60	30	M12	37	129.6	30	240	68
GA6030M8	60	30	M8	23	129.6	30	240	68
GA6035M10	60	35	M10	25	123.7	30	229.8	68
GA6035M12	60	35	M12	37	123.7	30	229.8	68
GA6035M8	60	35	M8	23	123.7	30	229.8	68

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk



GA6040M10	60	40	M10	25	112	30	209.1	68
GA6040M12	60	40	M12	37	112	30	209.1	68
GA6040M8	60	40	M8	23	112	30	209.7	68
GA6045M10	60	45	M10	25	100.1	30	186.8	68
GA6045M12	60	45	M12	37	100.1	30	186.8	68
GA6045M8	60	45	M8	23	100.1	30	186.8	68
GA6050M10	60	50	M10	25	88.9	30	165.5	68
GA6050M12	60	50	M12	37	88.9	30	165.5	68
GA6050M8	60	50	M8	23	88.9	30	165.5	68
GA6060M10	60	60	M10	25	73	30	136	68
GA6060M12	60	60	M12	37	73	30	136	68
GA6060M8	60	60	M8	23	73	30	136	68
GA6535M12	65	35	M12	37	160	35	350	68
GA7020M10	70	20	M10	25	262.2	40	555.7	80
GA7025M10	70	25	M10	25	241.3	40	523.8	80
GA7030M10	70	30	M10	25	215.4	40	457.5	80
GA7030M12	70	30	M12	37	215.4	40	457.5	80
GA7035M10	70	35	M10	25	189.6	40	391.1	80
GA7035M12	70	35	M12	37	189.6	40	391.1	80
GA7040M10	70	40	M10	25	163.8	40	324.8	80
GA7040M12	70	40	M12	37	163.8	40	324.8	80
GA7045M10	70	45	M10	25	157.5	40	310.5	80
GA7045M12	70	45	M12	37	157.5	40	310.5	80
GA7050M10	70	50	M10	25	142.3	40	292.7	80
GA7050M12	70	50	M12	37	142.3	40	292.7	80
GA7053M10	70	53	M10	25	139.5	40	288.3	80
GA7053M12	70	53	M12	37	139.5	40	288.3	80
GA7055M10	70	55	M10	25	136.1	40	283.4	80
GA7055M12	70	55	M12	37	136.1	40	283.4	80
GA7060M10	70	60	M10	25	120	40	220	80
GA7060M12	70	60	M12	37	120	40	220	80
GA7070M10	70	70	M10	25	110	40	190	80
GA7070M12	70	70	M12	37	110	40	190	80
GA7510M10	75	10	M10	25	125.3	40.7	265	105.3
GA7510M12	75	10	M12	37	125.3	40.7	265	105.3
GA7520M10	75	20	M10	25	325.4	59.6	689.6	129.9
GA7520M12	75	20	M12	37	325.4	59.6	689.6	129.9
GA7525M10	75	25	M10	25	299.4	59.6	650	129.9
GA7525M12	75	25	M12	37	299.4	59.6	650	129.9
GA7530M10	75	30	M10	25	267.3	59.6	567.7	129.9
GA7530M12	75	30	M12	37	267.3	59.6	567.7	129.9
GA7535M10	75	35	M10	25	235.3	59.6	485.3	129.9
GA7535M12	75	35	M12	37	235.3	59.6	485.3	129.9
GA7540M10	75	40	M10	25	203.2	59.6	403	129.9
GA7540M12	75	40	M12	37	203.2	59.6	403	129.9
GA7545M10	75	45	M10	25	190.5	59.6	385.3	129.9

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk



GA7545M12	75	45	M12	37	190.5	59.6	385.3	129.9
GA7550M10	75	50	M10	25	176.6	59.6	363.2	129.9
GA7550M12		50	M12	37	176.6	59.6	363.2	129.9
GA7555M10	75	55	M10	25	168.9	59.6	351.7	129.9
GA7555M12	75	55	M12	37	168.9	59.6	351.7	129.9
GA7560M10	75	60	M10	25	155	59.6	320	118.6
GA7560M12	75	60	M12	37	155	59.6	320	118.6
GA7570M10	75	70	M10	25	140	50.3	296.4	115.2
GA7570M12	75	70	M12	37	140	50.3	296.4	115.2
GA8030M14	80	30	M14	35	347.5	104.1	658.7	197
GA100100M12	100	100	M12	37	250	106	400.6	230.9
GA100100M16	100	100	M16	46	250	106	400.6	230.9
GA10025M12	100	25	M12	37	540.2	106	1036.2	230.9
GA10025M16	100	25	M16	46	540.2	106	1036.2	230.9
GA10030M12	100	30	M12	37	499.6	106	1006.2	230.9
GA10030M16	100	30	M16	46	499.6	106	1006.2	230.9
GA10035M12	100	35	M12	37	469.3	106	914.3	230.9
GA10035M16	100	35	M16	46	469.3	160	914.3	230.9
GA10040M12	100	40	M12	37	454.1	106	854.9	230.9
GA10040M16	100	40	M16	46	454.1	106	854.9	230.9
GA10045M12	100	45	M12	37	413.5	106	790	230.9
GA10045M16	100	45	M16	46	413.5	106	790	230.9
GA10050M12	100	50	M12	37	357.7	106	740	230.9
GA10050M16	100	50	M16	46	357.7	106	740	230.9
GA10055M12	100	55	M12	37	345.5	106	692.9	230.9
GA10055M16	100	55	M16	46	345.5	106	692.9	230.9
GA10060M12	100	60	M12	37	302	106	605	230.9
GA10060M16	100	60	M16	46	302	106	605	230.9
GA10070M12	100	70	M12	37	290	106	530.6	230.9
GA10070M16	100	70	M16	46	290	106	530.6	230.9
GA10075M12	100	75	M12	37	275	106	436.6	230.9
GA10075M16	100	75	M16	46	275	106	436.6	230.9
GA10080M12	100	80	M12	37	263	106	408.3	230.9
GA10080M16	100	80	M16	46	263	106	408.3	230.9
GA15050M16	150	50	M16	46	626.3	194.7	1173.6	355.1
GA15050M20	150	50	M20	41	626.3	194.7	1173.6	355.1
GA15055M16	150	55	M16	46	590.9	194.7	1076.6	355.1

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk



GA15055M20	150	55	M20	41	590.9	194.7	1076.6	355.1
GA15060M16	150	60	M16	46	534.3	194.7	955.3	355.1
GA15060M20	150	60	M20	41	534.3	194.7	955.3	355.1
GA15075M16	150	75	M16	46	447.8	185.5	806	319.6
GA15075M20	150	75	M20	41	447.8	185.5	806	319.6
GA200100M20	200	100	M20	41	1200	396	2000	660

Dimensions in mm

Thread material: Mild Steel

Material Properties

- [NATURAL RUBBER](#)
- [SILICONE RUBBER](#)
- [EDPM RUBBER](#)
- [CHLOROPRENE \(NEOPRENE\)](#)

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk