



FEMALE/FEMALE RUBBER STUD MOUNTS

Series: GC



- Achieves high isolation of low frequency isolations
- Ideal for sensitive equipment.
- Other body and thread sizes available.
- Attenuates shock loads due to its deflection capacity, ideal for mounting sensitive electronics and lights in transit.
- Available in stainless steel metal for food & mining industry application.
- ROHS and REACH SVHC compliant.
- Typical Applications Include: Fans, Pumps, Stationary Generators, Vibrating Screens, Bulk bin load and discharge units, Computers, Security Cameras, packaging and transit case mountings.



| Part Number | D (mm) | H (mm) | G | B (mm) | Max Compression Load 45 Shore A (KG) | Max Shear Load 45 Shore A (KG) | Max Compression Load 60 Shore A (KG) | Max Shear Load 60 Shore A (KG) |
|-------------|--------|--------|----|--------|---|-----------------------------------|---|-----------------------------------|
| GC0607M3 | 6 | 7 | M3 | 3 | 4.03 | 1.54 | 11.5 | 3.3 |
| GC1326M3 | 13 | 26 | M3 | 3 | 1.61 | 0.495 | 5.2 | 1.65 |
| GC1326M4 | 13 | 26 | M4 | 4 | 1.61 | 0.495 | 5.2 | 1.65 |
| GC1326M5 | 13 | 26 | M5 | 5 | 1.61 | 0.495 | 5.2 | 1.65 |
| GC1508M3 | 15 | 8 | M3 | 3 | 13.80 | 3.3 | 28.8 | 5.72 |
| GC1510M3 | 15 | 10 | M3 | 3 | 10.58 | 4.4 | 17.4 | 5.72 |
| GC1510M4 | 15 | 10 | M4 | 4 | 10.58 | 4.4 | 17.4 | 5.72 |
| GC1512M3 | 15 | 12 | M3 | 3 | 9.43 | 2.97 | 16.7 | 5.72 |
| GC1512M4 | 15 | 12 | M4 | 4 | 9.43 | 2.97 | 16.7 | 5.72 |
| GC1513M3 | 15 | 13 | M3 | 3 | 9.09 | 2.86 | 16.2 | 5.72 |
| GC1513M4 | 15 | 13 | M4 | 4 | 9.09 | 2.86 | 16.2 | 5.72 |
| GC1513M5 | 15 | 13 | M5 | 5 | 9.09 | 2.86 | 16.2 | 5.72 |
| GC1515M3 | 15 | 15 | M3 | 3 | 6.90 | 2.2 | 15.3 | 5.72 |
| GC1515M4 | 15 | 15 | M4 | 4 | 6.90 | 2.2 | 15.3 | 5.72 |
| GC1515M5 | 15 | 15 | M5 | 5 | 6.90 | 2.2 | 15.3 | 5.72 |
| GC1520M3 | 15 | 20 | M3 | 3 | 5.64 | 1.76 | 11.5 | 4.4 |
| GC1520M4 | 15 | 20 | M4 | 4 | 5.64 | 1.76 | 11.5 | 4.4 |

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmec.co.uk Website: www.gelmec.co.uk

| | | | | | | | | |
|-----------|----|----|-----|----|-------|-------|------|-------|
| GC1520M5 | 15 | 20 | M5 | 5 | 5.64 | 1.76 | 11.5 | 4.4 |
| GC1525M3 | 15 | 25 | M3 | 3 | 3.34 | 1.1 | 8.3 | 2.64 |
| GC1525M4 | 15 | 25 | M4 | 4 | 3.34 | 1.1 | 8.3 | 2.64 |
| GC1525M5 | 15 | 25 | M5 | 5 | 3.34 | 1.1 | 8.3 | 2.64 |
| GC1530M3 | 15 | 30 | M3 | 3 | 2.01 | 0.66 | 4.7 | 1.54 |
| GC1530M4 | 15 | 30 | M4 | 4 | 2.01 | 0.66 | 4.7 | 1.54 |
| GC1530M5 | 15 | 30 | M5 | 5 | 2.01 | 0.66 | 4.7 | 1.54 |
| GC1610M5 | 16 | 10 | M5 | 5 | 17.25 | 6.6 | - | - |
| GC1615M5 | 16 | 15 | M5 | 5 | Tba | Tba | Tba | tba |
| GC1618M3 | 16 | 18 | M3 | 3 | 6.90 | 2.2 | 15.3 | 5.72 |
| GC1618M4 | 16 | 18 | M4 | 4 | 6.90 | 2.2 | 15.3 | 5.72 |
| GC1618M5 | 16 | 18 | M5 | 5 | 6.90 | 2.2 | 15.3 | 5.72 |
| GC2015M4 | 20 | 15 | M4 | 4 | 14.15 | 4.62 | 29.3 | 10.12 |
| GC2015M5 | 20 | 15 | M5 | 5 | 14.15 | 4.62 | 29.3 | 10.12 |
| GC2017M4 | 20 | 17 | M4 | 4 | 13.57 | 4.62 | 28.3 | 10.12 |
| GC2017M5 | 20 | 17 | M5 | 5 | 13.57 | 4.62 | 28.3 | 10.12 |
| GC2020M5 | 20 | 20 | M5 | 5 | 12.65 | 4.62 | 27.0 | 10.12 |
| GC2020M6 | 20 | 20 | M6 | 6 | 12.65 | 4.62 | 27.0 | 10.12 |
| GC2020M8 | 20 | 20 | M8 | 8 | 12.65 | 4.62 | 27.0 | 10.12 |
| GC2023M5 | 20 | 23 | M5 | 5 | Tba | Tba | Tba | Tba |
| GC2023M6 | 20 | 23 | M6 | 6 | Tba | Tba | Tba | Tba |
| GC2023M8 | 20 | 23 | M8 | 8 | Tba | Tba | Tba | Tba |
| GC2025M5 | 20 | 25 | M5 | 5 | 12.08 | 4.62 | 26.1 | 10.12 |
| GC2025M6 | 20 | 25 | M6 | 6 | 12.08 | 4.62 | 26.1 | 10.12 |
| GC2025M8 | 20 | 25 | M8 | 8 | 12.08 | 4.62 | 26.1 | 10.12 |
| GC2030M5 | 20 | 30 | M5 | 5 | 11.73 | 4.51 | 25.6 | 9.9 |
| GC2030M6 | 20 | 30 | M6 | 6 | 11.73 | 4.51 | 25.6 | 9.9 |
| GC2030M8 | 20 | 30 | M8 | 8 | 11.73 | 4.51 | 25.6 | 9.9 |
| GC2515M6 | 25 | 15 | M6 | 6 | 24.73 | 7.26 | 49.7 | 15.84 |
| GC2515M8 | 25 | 15 | M8 | 8 | 24.73 | 7.26 | 49.7 | 15.84 |
| GC2517M6 | 25 | 17 | M6 | 6 | 23.81 | 7.26 | 48.4 | 15.84 |
| GC2517M8 | 25 | 17 | M8 | 8 | 23.81 | 7.26 | 48.4 | 15.84 |
| GC2520M6 | 25 | 20 | M6 | 6 | 21.16 | 7.26 | 44.3 | 15.84 |
| GC2520M8 | 25 | 20 | M8 | 8 | 21.16 | 7.26 | 44.3 | 15.84 |
| GC2522M6 | 25 | 22 | M6 | 6 | 20.47 | 7.26 | 43.0 | 15.84 |
| GC2522M8 | 25 | 22 | M8 | 8 | 20.47 | 7.26 | 43.0 | 15.84 |
| GC2525M6 | 25 | 25 | M6 | 6 | 19.67 | 7.26 | 42.1 | 15.84 |
| GC2525M8 | 25 | 25 | M8 | 8 | 19.67 | 7.26 | 42.1 | 15.84 |
| GC2527M6 | 25 | 27 | M6 | 6 | 19.32 | 7.26 | 41.6 | 15.84 |
| GC2527M8 | 25 | 27 | M8 | 8 | 19.32 | 7.26 | 41.6 | 15.84 |
| GC2530M6 | 25 | 30 | M6 | 6 | 18.86 | 7.26 | 40.9 | 15.84 |
| GC2530M8 | 25 | 30 | M8 | 8 | 18.86 | 7.26 | 40.9 | 15.84 |
| GC2622M6 | 26 | 22 | M6 | 6 | 21.28 | 8.25 | 44.9 | 18.48 |
| GC2622M8 | 26 | 22 | M8 | 8 | 21.28 | 8.25 | 44.9 | 18.48 |
| GC3015M6 | 30 | 15 | M6 | 6 | 43.47 | 10.45 | 83.1 | 22.88 |
| GC3018M6 | 30 | 18 | M6 | 6 | 39.10 | 10.45 | 72.5 | 22.88 |
| GC3020M6 | 30 | 20 | M6 | 6 | 33.93 | 10.45 | 69.0 | 22.88 |
| GC3020M8 | 30 | 20 | M8 | 8 | 33.93 | 10.45 | 69.0 | 22.88 |
| GC3022M6 | 30 | 22 | M6 | 6 | 31.05 | 10.45 | 65.6 | 22.88 |
| GC3022M8 | 30 | 22 | M8 | 8 | 31.05 | 10.45 | 65.6 | 22.88 |
| GC3025M10 | 30 | 25 | M10 | 10 | 30.25 | 10.45 | 63.5 | 22.88 |

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk

| | | | | | | | | |
|-----------|----|----|-----|----|--------|-------|-------|-------|
| GC3025M6 | 30 | 25 | M6 | 6 | 30.25 | 10.45 | 63.5 | 22.88 |
| GC3025M8 | 30 | 25 | M8 | 8 | 30.25 | 10.45 | 63.5 | 22.88 |
| GC3028M8 | 30 | 28 | M8 | 8 | - | | | 22.88 |
| GC3030M10 | 30 | 30 | M10 | 10 | 28.52 | 10.45 | 60.8 | 22.88 |
| GC3030M6 | 30 | 30 | M6 | 6 | 28.52 | 10.45 | 60.8 | 22.88 |
| GC3030M8 | 30 | 30 | M8 | 8 | 28.52 | 10.45 | 60.8 | 22.88 |
| GC3040M10 | 30 | 40 | M10 | 10 | 26.80 | 10.45 | 58.7 | 22.88 |
| GC3040M6 | 30 | 40 | M6 | 6 | 26.80 | 10.45 | 58.7 | 22.88 |
| GC3040M8 | 30 | 40 | M8 | 8 | 26.80 | 10.45 | 58.7 | 22.88 |
| GC3045M10 | 30 | 45 | M10 | 10 | 23.00 | 10.45 | 46.0 | 22.88 |
| GC3045M6 | 30 | 45 | M6 | 6 | 23.00 | 10.45 | 46.0 | 22.88 |
| GC3045M8 | 30 | 45 | M8 | 8 | 23.00 | 10.45 | 46.0 | 22.88 |
| GC4015M6 | 40 | 15 | M6 | 6 | 34.50 | 8.80 | 57.5 | 13.2 |
| GC4020M6 | 40 | 20 | M6 | 6 | 72.68 | 18.7 | 141.0 | 40.59 |
| GC4020M8 | 40 | 20 | M8 | 8 | 72.68 | 18.7 | 141.0 | 40.59 |
| GC4025M6 | 40 | 25 | M6 | 6 | 62.10 | 18.7 | 128.8 | 40.59 |
| GC4025M8 | 40 | 25 | M8 | 8 | 62.10 | 18.7 | 128.8 | 40.59 |
| GC4028M10 | 40 | 28 | M10 | 10 | 56.58 | 18.7 | 119.6 | 40.59 |
| GC4028M6 | 40 | 28 | M6 | 6 | 56.58 | 18.7 | 119.6 | 40.59 |
| GC4028M8 | 40 | 28 | M8 | 8 | 56.58 | 18.7 | 119.6 | 40.59 |
| GC4030M10 | 40 | 30 | M10 | 10 | 55.32 | 18.7 | 115.2 | 40.59 |
| GC4030M6 | 40 | 30 | M6 | 6 | 55.32 | 18.7 | 115.2 | 40.59 |
| GC4030M8 | 40 | 30 | M8 | 8 | 55.32 | 18.7 | 115.2 | 40.59 |
| GC4035M10 | 40 | 35 | M10 | 10 | 52.90 | 18.7 | 112.5 | 40.59 |
| GC4035M6 | 40 | 35 | M6 | 6 | 52.90 | 18.7 | 112.5 | 40.59 |
| GC4035M8 | 40 | 35 | M8 | 8 | 52.90 | 18.7 | 112.5 | 40.59 |
| GC4038M10 | 40 | 38 | M10 | 10 | 51.18 | 18.7 | 109.9 | 40.59 |
| GC4038M6 | 40 | 38 | M6 | 6 | 51.18 | 18.7 | 109.9 | 40.59 |
| GC4038M8 | 40 | 38 | M8 | 8 | 51.18 | 18.7 | 109.9 | 40.59 |
| GC4040M10 | 40 | 40 | M10 | 10 | 50.26 | 18.7 | 107.5 | 40.59 |
| GC4040M6 | 40 | 40 | M6 | 6 | 50.26 | 18.7 | 107.5 | 40.59 |
| GC4040M8 | 40 | 40 | M8 | 8 | 50.26 | 18.7 | 107.5 | 40.59 |
| GC4045M10 | 40 | 45 | M10 | 10 | 48.42 | 18.7 | 90.0 | 35.2 |
| GC4045M6 | 40 | 45 | M6 | 6 | 48.42 | 18.7 | 90.0 | 35.2 |
| GC4045M8 | 40 | 45 | M8 | 8 | 48.42 | 18.7 | 90.0 | 35.2 |
| GC4060M10 | 40 | 60 | M10 | 10 | 44.74 | 18.7 | 55.5 | 31.35 |
| GC4060M6 | 40 | 60 | M6 | 6 | 44.74 | 18.7 | 55.5 | 31.35 |
| GC4060M8 | 40 | 60 | M8 | 8 | 44.74 | 18.7 | 55.5 | 31.35 |
| GC5020M8 | 50 | 20 | M8 | 8 | 143.52 | 15.4 | 265.2 | 63.47 |
| GC5025M10 | 50 | 25 | M10 | 10 | 112.24 | 29.15 | 218.5 | 63.47 |
| GC5025M8 | 50 | 25 | M8 | 8 | 112.24 | 29.15 | 218.5 | 63.47 |
| GC5030M10 | 50 | 30 | M10 | 10 | 97.29 | 29.15 | 196.2 | 63.47 |
| GC5030M12 | 50 | 30 | M12 | 12 | 97.29 | 29.15 | 196.2 | 63.47 |
| GC5030M8 | 50 | 30 | M8 | 8 | 97.29 | 29.15 | 196.2 | 63.47 |
| GC5035M10 | 50 | 35 | M10 | 10 | 89.01 | 29.15 | 183.8 | 63.47 |
| GC5035M12 | 50 | 35 | M12 | 12 | 89.01 | 29.15 | 183.8 | 63.47 |
| GC5035M8 | 50 | 35 | M8 | 8 | 89.01 | 29.15 | 183.8 | 63.47 |
| GC5037M10 | 50 | 37 | M10 | 10 | 85.1 | 29.15 | 179.4 | 63.47 |
| GC5037M12 | 50 | 37 | M12 | 12 | 85.1 | 29.15 | 179.4 | 63.47 |
| GC5037M8 | 50 | 37 | M8 | 8 | 85.1 | 29.15 | 179.4 | 63.47 |
| GC5040M10 | 50 | 40 | M10 | 10 | 83.95 | 29.15 | 176.3 | 63.47 |

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622**Email:** sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk

| | | | | | | | | |
|-----------|----|----|-----|----|--------|-------|-------|-------|
| GC5040M12 | 50 | 40 | M12 | 12 | 83.95 | 29.15 | 176.3 | 63.47 |
| GC5040M8 | 50 | 40 | M8 | 8 | 83.95 | 29.15 | 176.3 | 63.47 |
| GC5045M10 | 50 | 45 | M10 | 10 | 80.62 | 29.15 | 171.4 | 63.47 |
| GC5045M12 | 50 | 45 | M12 | 12 | 80.62 | 29.15 | 171.4 | 63.47 |
| GC5045M8 | 50 | 45 | M8 | 8 | 80.62 | 29.15 | 171.4 | 63.47 |
| GC5050M10 | 50 | 50 | M10 | 10 | 78.32 | 29.15 | 167.9 | 63.47 |
| GC5050M12 | 50 | 50 | M12 | 12 | 78.32 | 29.15 | 167.9 | 63.47 |
| GC5050M8 | 50 | 50 | M8 | 8 | 78.32 | 29.15 | 167.9 | 63.47 |
| GC5080M10 | 50 | 80 | M10 | 10 | 48.99 | 24.2 | 104.9 | 55 |
| GC5080M12 | 50 | 80 | M12 | 12 | 48.99 | 24.2 | 104.9 | 55 |
| GC5080M8 | 50 | 80 | M8 | 8 | 48.99 | 24.2 | 104.9 | 55 |
| GC6025M10 | 60 | 25 | M10 | 10 | 175.38 | 33 | 326.4 | 74.8 |
| GC6025M8 | 60 | 25 | M8 | 8 | 175.38 | 33 | 326.4 | 74.8 |
| GC6030M10 | 60 | 30 | M10 | 10 | 149.04 | 33 | 276 | 74.8 |
| GC6030M12 | 60 | 30 | M12 | 12 | 149.04 | 33 | 276 | 74.8 |
| GC6030M8 | 60 | 30 | M8 | 8 | 149.04 | 33 | 276 | 74.8 |
| GC6035M10 | 60 | 35 | M10 | 10 | 142.26 | 33 | 264.3 | 74.8 |
| GC6035M12 | 60 | 35 | M12 | 12 | 142.26 | 33 | 264.3 | 74.8 |
| GC6035M8 | 60 | 35 | M8 | 8 | 142.26 | 33 | 264.3 | 74.8 |
| GC6040M10 | 60 | 40 | M10 | 10 | 128.8 | 33 | 240.5 | 74.8 |
| GC6040M12 | 60 | 40 | M12 | 12 | 128.8 | 33 | 240.5 | 74.8 |
| GC6040M8 | 60 | 40 | M8 | 8 | 128.8 | 33 | 240.5 | 74.8 |
| GC6045M10 | 60 | 45 | M10 | 10 | 115.12 | 33 | 214.8 | 74.8 |
| GC6045M12 | 60 | 45 | M12 | 12 | 115.12 | 33 | 214.8 | 74.8 |
| GC6045M8 | 60 | 45 | M8 | 8 | 115.12 | 33 | 214.8 | 74.8 |
| GC6050M10 | 60 | 50 | M10 | 10 | 102.24 | 33 | 190.3 | 74.8 |
| GC6050M12 | 60 | 50 | M12 | 12 | 102.24 | 33 | 190.3 | 74.8 |
| GC6050M8 | 60 | 50 | M8 | 8 | 102.24 | 33 | 190.3 | 74.8 |
| GC6060M10 | 60 | 60 | M10 | 10 | 83.95 | 33 | 156.4 | 74.8 |
| GC6060M12 | 60 | 60 | M12 | 12 | 83.95 | 33 | 156.4 | 74.8 |
| GC6060M8 | 60 | 60 | M8 | 8 | 83.95 | 33 | 156.4 | 74.8 |
| GC6535M12 | 65 | 35 | M12 | 12 | 184 | 38.5 | 402.5 | 74.8 |
| GC7030M10 | 70 | 30 | M10 | 10 | 247.71 | 44 | 526.1 | 88 |
| GC7030M12 | 70 | 30 | M12 | 12 | 247.71 | 44 | 526.1 | 88 |
| GC7035M10 | 70 | 35 | M10 | 10 | 218.04 | 44 | 449.8 | 88 |
| GC7035M12 | 70 | 35 | M12 | 12 | 218.04 | 44 | 449.8 | 88 |
| GC7040M10 | 70 | 40 | M10 | 10 | 188.37 | 44 | 373.5 | 88 |
| GC7040M12 | 70 | 40 | M12 | 12 | 188.37 | 44 | 373.5 | 88 |
| GC7045M10 | 70 | 45 | M10 | 10 | 181.13 | 44 | 357.1 | 88 |
| GC7045M12 | 70 | 45 | M12 | 12 | 181.13 | 44 | 357.1 | 88 |
| GC7050M10 | 70 | 50 | M10 | 10 | 163.65 | 44 | 336.6 | 88 |
| GC7050M12 | 70 | 50 | M12 | 12 | 163.65 | 44 | 336.6 | 88 |
| GC7055M10 | 70 | 55 | M10 | 10 | 156.52 | 44 | 325.9 | 88 |
| GC7055M12 | 70 | 55 | M12 | 12 | 156.52 | 44 | 325.9 | 88 |
| GC7060M10 | 70 | 60 | M10 | 10 | 138 | 44 | 253 | 88 |
| GC7060M12 | 70 | 60 | M12 | 12 | 138 | 44 | 253 | 88 |
| GC7070M10 | 70 | 70 | M10 | 10 | 126.5 | 44 | 218.5 | 88 |

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk

| | | | | | | | | |
|-------------|-----|-----|-----|----|--------|--------|-------|--------|
| GC7070M12 | 70 | 70 | M12 | 12 | 126.5 | 44 | 218.5 | 88 |
| GC75100M10 | 75 | 100 | M10 | 10 | 144.1 | 44.77 | 304.8 | 115.83 |
| GC75100M12 | 75 | 100 | M12 | 12 | 144.1 | 44.77 | 304.8 | 115.83 |
| GC7525M10 | 75 | 25 | M10 | 10 | 344.31 | 65.56 | 747.5 | 142.89 |
| GC7530M10 | 75 | 30 | M10 | 10 | 307.4 | 65.56 | 652.9 | 142.89 |
| GC7530M12 | 75 | 30 | M12 | 12 | 307.4 | 65.56 | 652.9 | 142.89 |
| GC7535M10 | 75 | 35 | M10 | 10 | 270.6 | 65.56 | 558.1 | 142.89 |
| GC7535M12 | 75 | 35 | M12 | 12 | 270.6 | 65.56 | 558.1 | 142.89 |
| GC7540M10 | 75 | 40 | M10 | 10 | 233.68 | 65.56 | 463.5 | 142.89 |
| GC7540M12 | 75 | 40 | M12 | 12 | 233.68 | 65.56 | 463.5 | 142.89 |
| GC7545M10 | 75 | 45 | M10 | 10 | 219.08 | 65.56 | 443.1 | 142.89 |
| GC7545M12 | 75 | 50 | M12 | 12 | 219.08 | 65.56 | 443.1 | 142.89 |
| GC7550M10 | 75 | 50 | M10 | 10 | 203.09 | 65.56 | 417.7 | 142.89 |
| GC7550M12 | 75 | 55 | M12 | 12 | 203.09 | 65.56 | 417.7 | 142.89 |
| GC7555M10 | 75 | 55 | M10 | 10 | 194.24 | 65.56 | 404.5 | 142.89 |
| GC7555M12 | 75 | 55 | M12 | 12 | 194.24 | 65.56 | 404.5 | 142.89 |
| GC7560M10 | 75 | 60 | M10 | 10 | 178.25 | 65.56 | 368 | 130.46 |
| GC7560M12 | 75 | 60 | M12 | 12 | 178.25 | 65.56 | 368 | 130.46 |
| GC7570M10 | 75 | 70 | M10 | 10 | 161 | 55.33 | 340.9 | 126.72 |
| GC7570M12 | 75 | 70 | M12 | 12 | 161 | 55.33 | 340.9 | 126.72 |
| GC8030M14 | 80 | 30 | M10 | 10 | 399.63 | 114.51 | 457.5 | 216.7 |
| GC100100M12 | 100 | 100 | M12 | 12 | 181 | 342 | 50 | 95 |
| GC100100M16 | 100 | 100 | M16 | 16 | 181 | 342 | 50 | 95 |
| GC10040M12 | 100 | 40 | M12 | 12 | 522.22 | 116.6 | 983.1 | 253.99 |
| GC10040M16 | 100 | 40 | M16 | 16 | 522.22 | 116.6 | 983.1 | 253.99 |
| GC10045M12 | 100 | 45 | M12 | 12 | 475.53 | 116.6 | 908.5 | 253.99 |
| GC10045M16 | 100 | 45 | M16 | 16 | 475.53 | 116.6 | 908.5 | 253.99 |
| GC10050M12 | 100 | 50 | M12 | 12 | 411.36 | 116.6 | 851 | 253.99 |
| GC10050M16 | 100 | 50 | M16 | 16 | 411.36 | 116.6 | 851 | 253.99 |
| GC10055M12 | 100 | 55 | M12 | 12 | 397.33 | 116.6 | 796.8 | 253.99 |
| GC10055M16 | 100 | 55 | M16 | 16 | 397.33 | 116.6 | 796.8 | 253.99 |
| GC10060M12 | 100 | 60 | M12 | 12 | 347.3 | 116.6 | 695.8 | 253.99 |
| GC10060M16 | 100 | 60 | M16 | 16 | 347.3 | 116.6 | 695.8 | 253.99 |
| GC10070M12 | 100 | 70 | M12 | 12 | 333.5 | 116.6 | 610.2 | 253.99 |
| GC10070M16 | 100 | 70 | M16 | 16 | 333.5 | 116.6 | 610.2 | 253.99 |
| GC10075M12 | 100 | 75 | M12 | 12 | 316.25 | 116.6 | 502.1 | 253.99 |
| GC10075M16 | 100 | 75 | M16 | 16 | 316.25 | 116.6 | 502.1 | 253.99 |
| GC10080M12 | 100 | 80 | M12 | 12 | 302.45 | 116.6 | 469.5 | 253.99 |
| GC10080M16 | 100 | 80 | M16 | 16 | 302.45 | 116.6 | 469.5 | 253.99 |

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk



| | | | | | | | | |
|-------------|-----|-----|-----|----|--------|--------|--------|--------|
| GC15050M16 | 150 | 50 | M16 | 16 | 720.25 | 214.17 | 1349.6 | 390.61 |
| GC15050M20 | 150 | 50 | M20 | 20 | 720.25 | 214.17 | 1349.6 | 390.61 |
| GC15055M16 | 150 | 55 | M16 | 16 | 679.54 | 214.17 | 1238.1 | 390.61 |
| GC15055M20 | 150 | 55 | M20 | 20 | 679.54 | 214.17 | 1238.1 | 390.61 |
| GC15060M16 | 150 | 60 | M16 | 16 | 614.45 | 214.17 | 1098.6 | 390.61 |
| GC15060M20 | 155 | 60 | M20 | 20 | 614.45 | 214.17 | 1098.6 | 390.61 |
| GC15075M16 | 150 | 75 | M16 | 16 | 514.97 | 204.05 | 926.9 | 351.56 |
| GC15075M20 | 150 | 75 | M20 | 20 | 514.97 | 204.05 | 926.9 | 351.56 |
| GC200100M20 | 200 | 100 | M20 | 20 | 1380 | 435.6 | 2300 | 726 |

Dimensions in mm

Thread material: Mild Steel

Material Properties

- [NATURAL RUBBER](#)
- [SILICONE RUBBER](#)
- [EPDM RUBBER](#)
- [CHLOROPRENE \(NEOPRENE\)](#)

ANNOTATION

All specifications shown herein are typical values and are not guaranteed. It is recommended to test in the application for suitability.

Gelmecc UK

1-2 Steam Mill Lane, Great Yarmouth, Norfolk, NR31 0HP

Telephone: +44(0) 1493 668622

Email: sales@gelmecc.co.uk **Website:** www.gelmecc.co.uk